

FORTUNA ZINGARA


LONDON

Fine Ceramic Tiles - Fine Porcelain Tiles - Slabs - Custom Line

LONDON LIGHT

Fine Porcelain Tiles

3 Colors **2** Sizes **2** Mosaics **15** Draws



INDEX:

Colors 4, 5

Draws 14,15

Sizes 6,12

Mosaics 13

Surface Finish 14, 15

Body 16, 19

Packaging data 20, 21

Cleaning & Maintenance 22, 24
Instruction (CERAMIC/PORCELAIN TILES)


Colors

The London Light is available in 3 modern colours, ARCTIC WHITE, LONDON GREY and a sibling jet black BELUGA.






Arctic white close up. Size 60x60 cm



London grey close up. Size 60x60 cm



Beluga close up. Size 60x60 cm




Draws


The full design of the **London Light** is developed in 15 different faces in 60x60 cm, each of one randomly selected for a **full natural design look**.

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15





Draws Arctic White






Draws London Grey





Draws Beluga





12 13

Sizes

Two sizes are available in the London Light series, **60x60cm** and **30x60cm** plus 2 mosaics.

1 60x60 cm in the 3 colors







2 30x60 cm in the 3 colors










Sizes Rectified

All sizes of the London Light serie are rectified with microbevel edge, this feature will get a smooth and more linear four side edge with less difference in caliber between each single tile, it also allow to install the floor or the wall with a closer and smaller joint.






Mosaic

Two MOSAICS designs are available, both of them are on a 30x30 net, one is 5x5 square and one is 6x30 rectangular.









30cm

30cm



Surface Finish

The surface of the **LONDON LIGHT** is a **GLOSSY FULL LAPPATO**, giving a shiny and transparent mirror effect to the surface of the floor.



Arctic White zoom on Glossy Full Polish



London Grey zoom on Glossy Full Polish




Beluga zoom on Glossy Full Polish

Body

The **LONDON LIGHT** is entirely made in white body porcelain tiles, it is strong and frostproof body with a very **low porosity**.







Beluga detail of the body porcelain tiles 24

Packaging Data

Size(cm)	PALLET	Kg	Boxes	Pcs/Box	MQ/PALLET	Kg/Box
60x60	1	1.160,0	40	8	57,60	28,00
30x60	1	1.200,0	40	4	57,60	28,00
30x30 5x5 30x30 6x30	1	1.584,0	72	11	11	22,00



Cleaning & Maintenance Instruction (Ceramic/Porcelain Tiles)

DURING INSTALLATION:

- 1. Do not allow any tile adhesive or excess grout to dry on the proper surface of the tile. Unwanted adhesive or excess grout should be cleaned a few minutes after application or before the material become dry. Cleaning should be performed according to the adhesive or grout manufacturer's method and instruction..
- 2. For protection against construction dirt, scratches and incidental mutilation, the tiles already laid or fixed on the floors must be covered within the duration of the construction.
- 3. The installed tiles should be cleaned and free from all kinds of construction dirt and grimes before handing over the project..

FOR REGULAR CLEANING & MAINTENANCE:

- 1. Wipe off dusts from the surface of the tiles on regular schedule.
- 2. Dilute 100 ml of commercial degreasing agent (for example: KIWI Kleen Floor Super Active) to 5 liters of clean water.
- 3. 3Apply and wipe over the surface with the use of cotton cloth or sponge or mop. Rinsing is not necessary.
- 4. For floors, allow the cleaned area to dry before permitting pedestrian passage.

FOR CLEANING WITH FLOOR WASHING MACHINE:

- 1. Wipe off dusts from the surface of the tiles.
- 2. Dilute 100 ml of commercial degreasing agent (for example: KIWI Kleen Floor Super Active) to 5 liters of clean water.
- 3. Pour the solution into the tank, start the floor washing machine and clean the area.
- 4. Allow the cleaned area to dry before permitting pedestrian passage.

FOR REMOVAL OF COMMON MARKS OR STAINS:

- 1. Wipe off dusts from the surface of the tiles.
- 2. Use undiluted commercial degreasing agent (for example: KIWI Kleen Floor Super Active).
- 3. Apply and rub over the surface with the use of cotton cloth or sponge or mop.
- 4. Rinse with water and wipe with dry cotton cloth or mop.
- 5. For floors, allow the cleaned area to dry before permitting pedestrian passage.



Cleaning & Maintenance Instruction (CERAMIC/PORCELAIN TILES)

FOR REMOVAL OF STUBBORN MARKS OR STAINS:

- Wipe off dusts from the surface of the tiles.
- 2. Depending on the type of tiles and stain, use undiluted commercial degreasing agent (for example: KIWI Kleen Floor Super Active). Undiluted specialized cleaning agents such as FILA Deterdek, FILA PS/87, FILA PH Zero or other brands of cleaning solutions can also be used.
- 3. Spread the solution over the affected surface and leave for approximately 3-5 minutes or longer, to allow cleaning reaction. It is recommended to clean initially a sufficiently visible section of a tile and examine the result if suitable, before proceeding to clean the area covered with this material.
- 4. Rub the solution over the affected surface with the use of cotton cloth or sponge. Use scouring pad, if the marks or stains persist. For large areas, the use electric floor polisher is *recommended. 5*)
- 5. Rinse with water and wipe with dry cotton cloth or mop.
- 6. Repeat steps 2 to 5 if necessary.
- 7. For floors, allow the cleaned area to dry before permitting pedestrian passage.

NOTICE!

- Cleaning and maintenance program depends essentially on the density of traffic, the condition of the surrounding area where the tiles are installed and the nature of dirt to which the floors or walls are exposed. Thus, routine cleaning and maintenance must be performed according to specific requirements.
- The performance of a product is limited to such an extent. Any spillage of tea, coffee, paint, permanent marker, hair dye and the like on the tiles must be immediately cleaned to prevent severe staining. It is possible that these substances may leave light mark or slight discoloration on the tiles if not immediately cleaned.
- It is not advisable to use hydroflouric acid solution or its compound for cleaning.
- Do not use metal tools to scrape the dirt from the surface of the tiles.



PORTUNA ZINGARA

www.fortunazingara.com london@fortunazingara.com

