



FORTUNA ZINGARA

LONDON

Fine Ceramic Tiles - **Fine Porcelain Tiles** - Slabs - Custom Line

PUROSANGUE

Fine Porcelain Tiles

3 Colors ■ **5** Sizes ■ **1** Mosaic

The design was inspired by a fusion of a fabric with a marble quarried in Africa. Available in 3 colours and a total of 5 sizes in 1 sugarcoat finish, rectified edge. The design is made of plain decorative pieces. The name “PUROSANGUE” is dedicated to the thoroughbred racing horses, being PUROSANGUE the ultimate Fortuna Zingara.

INDEX:

Colors 4, 5

Sizes 6,12

Mosaics 13

Surface Finish 14, 15

Body 16, 19

Packaging data 20, 21

Cleaning & Maintenance 22, 24

Instruction (CERAMIC/PORCELAIN TILES)

Colors


Three fashioned colours has been chosen for the **PUROSANGUE** line, **ARCTIC WHITE**, **LONDON GREY** and **BELUGA**, representing a super white , a grey tone and a jet black anthracite tone
All duly tuned to the current fashion London look.

1




Arctic White

2



London Grey

3



Beluga



FORTUNA ZINGARA
LONDON



London grey and Beluga close up. Size 30x120 cm



Arctic white and London grey close up. Size 30x120 cm



Arctic white and Beluga close up. Size 30x120 cm

Sizes

PUROSANGUE is produced in **five different sizes** to be the ultimate architectural fix, **10x30 cm, 30x60 cm, 30x120 cm, 60x60 cm, 60x120 cm** plus a **5x5 mosaic**, all of them rectified with bevel edge.


1 10x30 cm
in the
3 colors



2 30x60 cm
in the
3 colors



3 30x120 cm
in the
3 colors



4 60x60 cm
in the
3 colors



5 60x120 cm
in the
3 colors




Sizes Rectified


All sizes of the purosangue serie are rectified with **microbevel edge**, this feature will get a smooth and more linear four side edge with less difference in caliber between each single tile, it also allow to install the floor or the wall with a **closer and smaller joint**.



FORTUNA ZINGARA
LONDON



Beluga, London Grey and Arctic White details of edges



Arctic White detail of edge




Arctic White detail of joint. Size 30x60 cm


Mosaic

PUROSANGUE come as standard with a **MOSAIC square in 5x5cm professionally glued on 30x30cm net** for easy installation


1 Arctic white



1 London grey



1 Beluga



Arctic White, London grey and Beluga detail of joint and edges

Surface Finish

The surface of the purosangue serie is in sugarcoat finish ,the feature of this newest surface glaze is to give a **smooth touch feeling with a very low sparkling** dynamic effect obtained organically by natural and artificial light keeping the **antislippery performance**. This effect has been achieved after one year of study with Italian state of the art glaze specialist VETRICERAMICI.



*Arctic White zoom
on sugar coat*



*London Grey zoom
on sugar coat*



*Beluga zoom on
sugar coat*



FORTUNA ZINGARA
LONDON



Arctic White, London grey and Beluga detail of surface finishes

Body

The **PUROSANGUE** is entirely made in colour body porcelain tiles, the colour of the body is darker for the beluga and lighter for the london grey and arctic white **giving a more homogenous effect** and keeping the strenghts and the **frostproof carachteristic** of the purosangue serie.



FORTUNA ZINGARA
LONDON



Arctic White detail of the body porcelain tiles









London Grey detail of the body porcelain tiles

Beluga detail of the body porcelain tiles



Packaging Data

SIZE(CM)		PALLET	BOXES FOR PALLET	SQ MT FOR PALLET	WEIGHT FOR PALLET	BOX MQ	KG BOX
 60x60		1	32	46,08	921,00	1,44	28,78
 30x60		1	72	77,76	1.5801,00	1,08	21,94
 60x120		1	20	28,80	570,20	1,44	28,51
 30x120		1	54	58,32	1.539,54	1,08	28,51
 10x30		1	60	43,20	860,00	0,72	14,33
				PCS FOR PALLET			
 5x5 30x30		1	30	300	540,00	10	18



Cleaning & Maintenance Instruction

(CERAMIC/PORCELAIN TILES)

DURING INSTALLATION:

1. Do not allow any tile adhesive or excess grout to dry on the proper surface of the tile. Unwanted adhesive or excess grout should be cleaned a few minutes after application or before the material become dry. Cleaning should be performed according to the adhesive or grout manufacturer’s method and instruction..
2. For protection against construction dirt, scratches and incidental mutilation, the tiles already laid or fixed on the floors must be covered within the duration of the construction.
3. The installed tiles should be cleaned and free from all kinds of construction dirt and grimes before handing over the project..

FOR REGULAR CLEANING & MAINTENANCE:

1. Wipe off dusts from the surface of the tiles on regular schedule.
2. Dilute 100 ml of commercial degreasing agent (for example: KIWI Kleen Floor Super Active) to 5 liters of clean water.
3. 3Apply and wipe over the surface with the use of cotton cloth or sponge or mop. Rinsing is not necessary.
4. For floors, allow the cleaned area to dry before permitting pedestrian passage.



Cleaning & Maintenance Instruction

(CERAMIC/PORCELAIN TILES)

FOR CLEANING WITH FLOOR WASHING MACHINE:

1. Wipe off dusts from the surface of the tiles.
2. Dilute 100 ml of commercial degreasing agent (for example: KIWI Kleen Floor Super Active) to 5 liters of clean water.
3. Pour the solution into the tank, start the floor washing machine and clean the area.
4. Allow the cleaned area to dry before permitting pedestrian passage.

FOR REMOVAL OF COMMON MARKS OR STAINS:

1. Wipe off dusts from the surface of the tiles.
2. Use undiluted commercial degreasing agent (for example: KIWI Kleen Floor Super Active).
3. Apply and rub over the surface with the use of cotton cloth or sponge or mop.
4. Rinse with water and wipe with dry cotton cloth or mop.
5. For floors, allow the cleaned area to dry before permitting pedestrian passage.



FORTUNA ZINGARA
LONDON

FOR REMOVAL OF STUBBORN MARKS OR STAINS:

1. Wipe off dusts from the surface of the tiles.
2. Depending on the type of tiles and stain, use undiluted commercial degreasing agent (for example: KIWI Kleen Floor Super Active). Undiluted specialized cleaning agents such as FILA Deterdek, FILA PS/87, FILA PH Zero or other brands of cleaning solutions can also be used.
3. Spread the solution over the affected surface and leave for approximately 3-5 minutes or longer, to allow cleaning reaction. It is recommended to clean initially a sufficiently visible section of a tile and examine the result if suitable, before proceeding to clean the area covered with this material.
4. Rub the solution over the affected surface with the use of cotton cloth or sponge. Use scouring pad, if the marks or stains persist. For large areas, the use electric floor polisher is *recommended*.
5. Rinse with water and wipe with dry cotton cloth or mop.
6. Repeat steps 2 to 5 if necessary.
7. For floors, allow the cleaned area to dry before permitting pedestrian passage.

Cleaning & Maintenance Instruction

(CERAMIC/PORCELAIN TILES)

NOTICE!

- Cleaning and maintenance program depends essentially on the density of traffic, the condition of the surrounding area where the tiles are installed and the nature of dirt to which the floors or walls are exposed. Thus, routine cleaning and maintenance must be performed according to specific requirements.
- The performance of a product is limited to such an extent. Any spillage of tea, coffee, paint, permanent marker, hair dye and the like on the tiles must be immediately cleaned to prevent severe staining. It is possible that these substances may leave light mark or slight discoloration on the tiles if not immediately cleaned.
- It is not advisable to use hydrofluoric acid solution or its compound for cleaning.
- Do not use metal tools to scrape the dirt from the surface of the tiles.



FORTUNA ZINGARA
LONDON



www.fortunazingara.com
london@fortunazingara.com



FORTUNA ZINGARA
LONDON